Ref #	Hits	Search Query	DBs	Default Operator	Plurals -	Time Stamp
L1	971	((encrypt\$4 encipher\$9 cipher\$9 crypto\$9) near3 key\$1) with (polic\$3 condition\$1 rule\$1 association\$1)	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40
L2	24999	((polic\$3 condition\$1 rule\$1 association\$1) near4 (cd removable\$1 dvd cd-rom cdrom disk\$1 disc\$1 card smartcard\$1 smart-card\$1))	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40
L3	101	L2 and L1	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40
L4	95.	L3 and (decrypt\$4 decipher\$9 decod\$3)	USPAT; IBM_TDB	OR	OFF:	2007/08/14 10:40
L5	2727	(request\$4 ask\$3) near4 (authenticat\$3 authori\$8) near3 (information\$1 data\$1)	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40
L6	605	L5 and ((session\$1 request\$3) near3 (start\$3 begin\$5))	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40
L7	216	L6 and (public near3 key\$1)	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40
L8	90	(offer\$3 near3 servic\$3) and L7	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40
L9	86	L8 and manag\$4	USPAT; IBM_TDB	OR .	OFF	2007/08/14 10:40
L10	19	L9 and (list\$4 near3 (id identification\$1 identifier\$1 identity identities))	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40
L11	507	455/414.3	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40
L12	6510	((455/414.3) or (455/435.2) or (713/155-161) or (713/168-171) or (713/176) or (726/1-6) or (726/10) or (726/17-19) or (726/21) or (726/26) or (726/27) or (726/30)).CCLS.	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40
L13 ·	17176	((polic\$3 condition\$1 rule\$1 association\$1) near4 (cd removable\$1 dvd cd-rom cdrom disk\$1 disc\$1))	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40
L14	2018	(encrypt\$4 encipher\$9 cipher\$9 crypto\$9) near3 key\$1 near4 (string\$2 bit\$1 sequence\$1)	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40
L15	36	L14 with (polic\$3 condition\$1 rule\$1 association\$1)	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40
L16	2	L15 and L13	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40
L17	. 36	L4 and print\$4	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40

L18	25	L17 and (trust\$4 ca)	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40
L19	591	L12 and L5	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40
L20	137	L19 and ((session\$1 request\$3) near3 (start\$3 begin\$5))	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40
L21	76	L20 and (public near3 key\$1)	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40
L22	17	L5 and (session\$1 near3 (start\$3 begin\$5) near3 request\$3)	USPAT; IBM_TDB	OR	OFF	2007/08/14 10:40

8/14/07 10:42:20 AM C:\Documents and Settings\LHa\My Documents\EAST\Workspaces\10663781.wsp

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1470	(request\$4) near5 (acquisition\$1)	USPAT; IBM_TDB	OR	OFF	2007/08/14 12:50
L2	24	(client\$1 user\$1 receiv\$4 recipient\$1) with L1 with (password\$1 passphras\$2 key\$1 ((authenticat\$5 authori\$9) near3 (information\$1 data\$1 content\$1)))	USPAT; IBM_TDB	OR	OFF	2007/08/14 12:59
L3	312240	(begin\$4 start\$4 initia\$4) near5 (session\$1 process\$2 request\$4)	USPAT; IBM_TDB	OR	OFF	2007/08/14 12:37
L4	10	L2 and L3	USPAT; IBM_TDB	OR	OFF	2007/08/14 12:37
L5	6	L4 and (id\$1 identifi\$9 identit\$3 identify\$3) and (list\$3 director\$3 table\$1)	USPAT; IBM_TDB	OR	OFF	2007/08/14 12:42
L6	. 24	(client\$1 user\$1 receiv\$4 recipient\$1) with L1 with (password\$1 passphras\$2 key\$1 ((authenticat\$5 authori\$9) near3 (information\$1 data\$1 content\$1)))	USPAT; IBM_TDB	OR	OFF	2007/08/14 12:38
L7	108978	(right\$1 permission\$1 permit\$4 rule\$1 polic\$3 regulat\$4) near6 (session\$1 process\$2)	USPAT; IBM_TDB	OR	OFF	2007/08/14 12:49
L8	23	L1 near9 (authenticat\$5 authori\$9)	USPAT; IBM_TDB	OR	OFF	2007/08/14 12:38
L9	6	L5 and (transmit\$4 transmission\$1 deliver\$5 send\$3 sent)	USPAT; IBM_TDB	OR .	OFF	2007/08/14 12:43
L10	25799	((session\$1 start\$3 begin\$5 ) near5 (request\$3))	USPAT; IBM_TDB	OR	OFF	2007/08/14 12:48
L11	16472	(right\$1 permission\$1 permit\$4 rule\$1 polic\$3 regulat\$4) near6 (session\$1 request\$3)	USPAT; IBM_TDB	OR	OFF	2007/08/14 12:49
L12	4817	I10 and I11	USPAT; IBM_TDB	OR	OFF	2007/08/14 12:49
L13	101		USPAT; IBM_TDB	OR	OFF	2007/08/14 12:50
L14	17905	(client\$1 user\$1 recipient\$1) with (receiv\$4 transmit\$4 transmission\$1 deliver\$5 send\$3 sent) with (l1 password\$1 passphras\$2 key\$1 ((authenticat\$5 authori\$9) near3 (information\$1 data\$1 content\$1)))	USPAT; IBM_TDB	OR	OFF	2007/08/14 12:51
L15	31	I13 and I14	USPAT; IBM_TDB	OR .	OFF	2007/08/14 12:51

L16	39	(client\$1 user\$1 receiv\$4 recipient\$1) with (start\$3 begin\$5) with (request\$3) with (session\$1) with (password\$1 passphras\$2 key\$1 ((authenticat\$5 authori\$9) near3 (information\$1 data\$1 content\$1)))	USPAT; IBM_TDB	OR	OFF	2007/08/14 13:05
-----	----	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------	----	-----	------------------